


PRODUCT DATASHEET

BLKH CBO RD EYELID 325 WT

BULKHEAD COMBO ROUND EYELID | Attachable half-visor ring for BULKHEAD COMBO luminaires



Areas of application



- Suitable for BULKHEAD COMBO ROUND
- Suitable for indoor and outdoor applications (IP65)

Product features


- Eyelid ring for BULKHEAD COMBO ROUND
- Impact resistance: IK10

TECHNICAL DATA


Photometrical data



BLKH CBO RD EYELID V 16W 830




BLKH CBO RD EYELID V 16W 840



BLKH CBO RD EYELID V 16W 857

Dimensions & Weight

Diameter	325.00 mm
Height	77.00 mm
Product weight	142.00 g



BLKH CBO RD EYELID 325 WT

Materials & Colors

Product color	White
Housing color	White
RAL Color (most similar)	RAL 9003
Body material	ABS

Application & Mounting

Protection class IK (shock resistance)	IK06
Mounting type	Surface
Mounting location	Ceiling / Wall
Replaceable light source	No

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	BLKH CBO RD 325 WT

Photometric and lighting design files		Document name
	IES file (IES)	BLKH CBO RD EYELID V 16W 830
	IES file (IES)	BLKH CBO RD EYELID V 16W 840
	IES file (IES)	BLKH CBO RD EYELID V 16W 857
	LDT file (Eulumdat)	BLKH CBO RD EYELID V 16W 830
	LDT file (Eulumdat)	BLKH CBO RD EYELID V 16W 840

Photometric and lighting design files		Document name
	LDT file (Eulumdat)	BLKH CBO RD EYELID V 16W 857
	Light distribution curve type polar	BLKH CBO RD EYELID V 16W 830
	Light distribution curve type polar	BLKH CBO RD EYELID V 16W 840
	Light distribution curve type polar	BLKH CBO RD EYELID V 16W 857

Tender texts		Document name
	Tender documents	BULKHEAD COMBO ROUND EYELID 325 WT-en

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854481031	Folding box 1	84 mm x 337 mm x 337 mm	322.00 g	9.54 dm ³
4099854481048	Shipping box 10	687 mm x 437 mm x 359 mm	4618.00 g	107.78 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.