

PRODUCT DATASHEET HEAT LAMP 275 W/2,450 K E27

HEAT LAMP | Robust infrared heat lamps for efficient, focused warmth delivery



Areas of application

- Bathroom heating for residential and commercial use
- Animal care facilities, including veterinary clinics and farms
- Food warming stations in catering and hospitality settings
- Rehabilitation and physiotherapy rooms
- Retail displays requiring product warming

Product benefits

- Instant infrared heat for quick and efficient warmth
- Durable hard glass construction for enhanced safety
- High heat output ideal for bathrooms and animal care
- Long 5,000-hour lifespan reduces maintenance needs

Product features

- R40 reflector shape for focused heat distribution
- Clear hard glass construction for durability and safety
- Infrared technology for efficient radiant heating
- Available in 275W and 375W power options
- Operates on 220-240V mains voltage
- Standard E27 screw base for easy installation



TECHNICAL DATA

Electrical data

Nominal wattage	275 W
Construction wattage	275.00 W
Nominal voltage	220240 V
Nominal current	1.14 A

Photometrical data

Luminous flux	1300 lm
Luminous efficacy	4 lm/W
Color temperature	2,450 K
Light color	2,

Dimensions & Weight

Overall length	183.00 mm
Diameter	125.00 mm
Product weight	100.00 g

Temperatures & operating conditions

Ambient temperature range -20+50 °C	
-------------------------------------	--

Lifespan

Number of switching cycles	5000

Additional product data

Base (standard designation)	E27
Mercury content	0.0 mg
Mercury-free	Yes
Design / version	Bulb

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference IR R40 CL 275W

LOGISTICAL DATA

Toron evel, we were so at atoms as	-20 +80 °C
Temperature range at storage	-20+80 °C

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E27
Length	183.00 mm
Height	125.00 mm
Width	125.00 mm

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854355936	Folding box 1	120 mm x 120 mm x 178 mm	180.00 g	2.56 dm ³
4099854355943	Shipping box 24	500 mm x 380 mm x 380 mm	4941.00 g	72.20 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.