

PRODUCT DATASHEET

TR SP REFLECTOR V 30W 36DEG

TRACKLIGHT SPOT REFLECTOR | Exchangeable reflector



Areas of application

- Suitable for TRACKLIGHT SPOT XR

Product benefits

- Clear cover protects the reflector against dust and contact
- High optical efficacy
- Reflector easily replaceable thanks to bayonet catch and rubber suction pad

Product features

- Accessory reflectors available in different beam angles (15°, 36°, 50°)




TECHNICAL DATA

Photometrical data

| | |
|------------|------|
| Beam angle | 36 ° |
|------------|------|

Dimensions & Weight

| | |
|----------------|---------|
| Diameter | 75 mm |
| Height | 43 mm |
| Product weight | 23.00 g |



TR SP REFLECTOR V 30W

Materials & Colors

| | |
|---------------|--------------------|
| Product color | Silver |
| Body material | Polycarbonate (PC) |

Application & Mounting

| | |
|--------------------------|----|
| Replaceable light source | No |
|--------------------------|----|


Certificates & Standards

| | |
|----------------|----|
| Ball shot safe | No |
|----------------|----|

Additional product data

| | |
|----------------|-------------------------------|
| Product remark | Available from September 2025 |
|----------------|-------------------------------|

DOWNLOAD DATA

| Documents and certificates | | Document name |
|--|--|------------------------------|
|  | User instruction / safety instructions | G11247140 TRACKLIGHT SPOT XR |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4099854616860 | Folding box 1 | 82 mm x 82 mm x 54 mm | 44.00 g | 0.36 dm ³ |
| 4099854616877 | Shipping box 4 | 187 mm x 102 mm x 138 mm | 275.00 g | 2.63 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.