


PRODUCT DATASHEET

LISOEV 1339x29 65 52W 940 S90U19 GY

LINEAR INDIVILED LIGHT SOURCES DIRECT | Upgrade or replacement light source unit for symmetric light distribution



Areas of application

- Direct replacement for luminaires with fluorescent lamps
- Offices, education, public buildings

Product benefits

- Easy upgradeability of light source and driver (EVERLOOP design)
- Easy installation, no tools required for connection
- Homogenous light distribution and reduced glare ($UGR \leq 19$) thanks to IndiviLED® optics
- High performance with CRI90

Product features

- Symmetric light distribution
- Lifetime (L80/B10): 70,000 h (at 25 °C)
- Beam angle: 90°


TECHNICAL DATA

Electrical data


Nominal wattage	52.00 W
Nominal voltage	45 V
Nominal current	1050.000 mA

Photometrical data

Luminous flux	6550 lm
Luminous efficacy	126 lm/W
Color temperature	4000 K
Light color (designation)	Cool White
Color rendering index Ra	≥90
Standard deviation of color matching	3 sdcm
Flickering metric (Pst LM)	≤1
Stroboscope effect metric (SVM)	≤0.4
Photobiological safety group acc. to EN62778	RG1
Beam angle	90 °
UGR	19



LISOEV 1339X29 65 52W 940 S90U19 GY LEDV 1050mA




LISOEV 1339X29 65 52W 940 S90U19 GY LEDV 1050mA

Dimensions & Weight

Length	1339.00 mm
--------	------------

Width	29.00 mm
Height	19.00 mm
Product weight	460.00 g
Cable length	100.000



1 5m DIRECT LED MODULE

Materials & Colors

Product color	Grey
Housing color	Grey

Application & Mounting

Ambient temperature range	-20...+50 °C
Temperature range at storage	-20...+80 °C
Type of connection	Push-in clamp
Type of protection	IP20
Dimmable	No

Lifespan

Lifespan L70/B50 at 25 °C	100000 h
Lifespan L80/B10 at 25 °C	70000 h
Lifespan L80/B50 at 25 °C	70000 h
Lifespan L90/B10 at 25 °C	35000 h
Number of switching cycles	25000

Certificates & Standards

Standards	CE / CB / ENEC / TÜV SÜD / UKCA / EAC
-----------	---------------------------------------

Additional product data

Product remark	Available from September 2025
----------------	-------------------------------

Safety advice

– All electrical connections must be made by a qualified person.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	User instruction G11244437
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	Safety Insert G11218810
	Legal information	Legal Insert G11244392
	Legal information	LSI insert G11244301
	Declarations of conformity	LN INV
	Declarations of conformity UKCA	LN INV
Photometric and lighting design files		Document name
	IES file (IES)	LISOEV 1339X29 65 52W 940 S90U19 GY LEDV 1050mA
	LDT file (Eulumdat)	LISOEV 1339X29 65 52W 940 S90U19 GY LEDV 1050mA
	UGR file (UGR table)	LISOEV 1339X29 65 52W 940 S90U19 GY LEDV 1050mA
	Light distribution curve type cone	LISOEV 1339X29 65 52W 940 S90U19 GY LEDV 1050mA
	Light distribution curve type polar	LISOEV 1339X29 65 52W 940 S90U19 GY LEDV 1050mA
CAD/BIM files		Document name
	CAD STEP 3D	LN INDV DIRECT G2 LISOEV 1500

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854284854	Folding box 1	36 mm x 1,347 mm x 26 mm	590.00 g	1.26 dm ³
4099854284861	Shipping box 10	1,379 mm x 204 mm x 95 mm	6587.00 g	26.73 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DIRECT					PROJECT					DIRECT					PROJECT				
EAN	LOREV	EAN	LOREV	EAN	LOREV	EAN	LOREV	EAN	LOREV	EAN	LOREV	EAN	LOREV	EAN	LOREV				
40005604030	US0001-04	400 100 500 010	US0001-04	400 100 500 010	40005604031	US0001-04	400 100 500 010	40005604032	US0001-04	400 100 500 010	40005604033	US0001-04	400 100 500 010	40005604034	US0001-04	400 100 500 010			
					40005604035	US0001-04	400 100 500 010	40005604036	US0001-04	400 100 500 010	40005604037	US0001-04	400 100 500 010	40005604038	US0001-04	400 100 500 010			
					40005604039	US0001-04	400 100 500 010	40005604040	US0001-04	400 100 500 010	40005604041	US0001-04	400 100 500 010	40005604042	US0001-04	400 100 500 010			
					40005604043	US0001-04	400 100 500 010	40005604044	US0001-04	400 100 500 010	40005604045	US0001-04	400 100 500 010	40005604046	US0001-04	400 100 500 010			
					40005604047	US0001-04	400 100 500 010	40005604048	US0001-04	400 100 500 010	40005604049	US0001-04	400 100 500 010	40005604050	US0001-04	400 100 500 010			
					40005604051	US0001-04	400 100 500 010	40005604052	US0001-04	400 100 500 010	40005604053	US0001-04	400 100 500 010	40005604054	US0001-04	400 100 500 010			
					40005604055	US0001-04	400 100 500 010	40005604056	US0001-04	400 100 500 010	40005604057	US0001-04	400 100 500 010	40005604058	US0001-04	400 100 500 010			
					40005604059	US0001-04	400 100 500 010	40005604060	US0001-04	400 100 500 010	40005604061	US0001-04	400 100 500 010	40005604062	US0001-04	400 100 500 010			
					40005604063	US0001-04	400 100 500 010	40005604064	US0001-04	400 100 500 010	40005604065	US0001-04	400 100 500 010	40005604066	US0001-04	400 100 500 010			
					40005604067	US0001-04	400 100 500 010	40005604068	US0001-04	400 100 500 010	40005604069	US0001-04	400 100 500 010	40005604070	US0001-04	400 100 500 010			
40005604040	US0001-02	400 100 500 010	US0001-02	400 100 500 010	40005604071	US0001-02	400 100 500 010	40005604072	US0001-02	400 100 500 010	40005604073	US0001-02	400 100 500 010	40005604074	US0001-02	400 100 500 010			
					40005604075	US0001-02	400 100 500 010	40005604076	US0001-02	400 100 500 010	40005604077	US0001-02	400 100 500 010	40005604078	US0001-02	400 100 500 010			
					40005604079	US0001-02	400 100 500 010	40005604080	US0001-02	400 100 500 010	40005604081	US0001-02	400 100 500 010	40005604082	US0001-02	400 100 500 010			
					40005604083	US0001-02	400 100 500 010	40005604084	US0001-02	400 100 500 010	40005604085	US0001-02	400 100 500 010	40005604086	US0001-02	400 100 500 010			
					40005604087	US0001-02	400 100 500 010	40005604088	US0001-02	400 100 500 010	40005604089	US0001-02	400 100 500 010	40005604090	US0001-02	400 100 500 010			
					40005604091	US0001-02	400 100 500 010	40005604092	US0001-02	400 100 500 010	40005604093	US0001-02	400 100 500 010	40005604094	US0001-02	400 100 500 010			
					40005604095	US0001-02	400 100 500 010	40005604096	US0001-02	400 100 500 010	40005604097	US0001-02	400 100 500 010	40005604098	US0001-02	400 100 500 010			
					40005604099	US0001-02	400 100 500 010	40005604100	US0001-02	400 100 500 010	40005604101	US0001-02	400 100 500 010	40005604102	US0001-02	400 100 500 010			
					40005604103	US0001-02	400 100 500 010	40005604104	US0001-02	400 100 500 010	40005604105	US0001-02	400 100 500 010	40005604106	US0001-02	400 100 500 010			
					40005604107	US0001-02	400 100 500 010	40005604108	US0001-02	400 100 500 010	40005604109	US0001-02	400 100 500 010	40005604110	US0001-02	400 100 500 010			
40005604050	US0001-05	400 100 500 010	US0001-05	400 100 500 010	40005604111	US0001-05	400 100 500 010	40005604112	US0001-05	400 100 500 010	40005604113	US0001-05	400 100 500 010	40005604114	US0001-05	400 100 500 010			
					40005604115	US0001-05	400 100 500 010	40005604116	US0001-05	400 100 500 010	40005604117	US0001-05	400 100 500 010	40005604118	US0001-05	400 100 500 010			
					40005604119	US0001-05	400 100 500 010	40005604120	US0001-05	400 100 500 010	40005604121	US0001-05	400 100 500 010	40005604122	US0001-05	400 100 500 010			
					40005604123	US0001-05	400 100 500 010	40005604124	US0001-05	400 100 500 010	40005604125	US0001-05	400 100 500 010	40005604126	US0001-05	400 100 500 010			
					40005604127	US0001-05	400 100 500 010	40005604128	US0001-05	400 100 500 010	40005604129	US0001-05	400 100 500 010	40005604130	US0001-05	400 100 500 010			
					40005604131	US0001-05	400 100 500 010	40005604132	US0001-05	400 100 500 010	40005604133	US0001-05	400 100 500 010	40005604134	US0001-05	400 100 500 010			
					40005604135	US0001-05	400 100 500 010	40005604136	US0001-05	400 100 500 010	40005604137	US0001-05	400 100 500 010	40005604138	US0001-05	400 100 500 010			
					40005604139	US0001-05	400 100 500 010	40005604140	US0001-05	400 100 500 010	40005604141	US0001-05	400 100 500 010	40005604142	US0001-05	400 100 500 010			
					40005604143	US0001-05	400 100 500 010	40005604144	US0001-05	400 100 500 010	40005604145	US0001-05	400 100 500 010	40005604146	US0001-05	400 100 500 010			
					40005604147	US0001-05	400 100 500 010	40005604148	US0001-05	400 100 500 010	40005604149	US0001-05	400 100 500 010	40005604150	US0001-05	400 100 500 010			
40005604060	US0001-03	400 100 500 010	US0001-03	400 100 500 010	40005604151	US0001-03	400 100 500 010	40005604152	US0001-03	400 100 500 010	40005604153	US0001-03	400 100 500 010	40005604154	US0001-03	400 100 500 010			
					40005604155	US0001-03	400 100 500 010	40005604156	US0001-03	400 100 500 010	40005604157	US0001-03	400 100 500 010	40005604158	US0001-03	400 100 500 010			
					40005604159	US0001-03	400 100 500 010	40005604160	US0001-03	400 100 500 010	40005604161	US0001-03	400 100 500 010	40005604162	US0001-03	400 100 500 010			
					40005604163	US0001-03	400 100 500 010	40005604164	US0001-03	400 100 500 010	40005604165	US0001-03	400 100 500 010	40005604166	US0001-03	400 100 500 010			
					40005604167	US0001-03	400 100 500 010	40005604168	US0001-03	400 100 500 010	40005604169	US0001-03	400 100 500 010	40005604170	US0001-03	400 100 500 010			
					40005604171	US0001-03	400 100 500 010	40005604172	US0001-03	400 100 500 010	40005604173	US0001-03	400 100 500 010	40005604174	US0001-03	400 100 500 010			
					40005604175	US0001-03	400 100 500 010	40005604176	US0001-03	400 100 500 010	40005604177	US0001-03	400 100 500 010	40005604178	US0001-03	400 100 500 010			
					40005604179	US0001-03	400 100 500 010	40005604180	US0001-03	400 100 500 010	40005604181	US0001-03	400 100 500 010	40005604182	US0001-03	400 100 500 010			
					40005604183	US0001-03	400 100 500 010	40005604184	US0001-03	400 100 500 010	40005604185	US0001-03	400 100 500 010	40005604186	US0001-03	400 100 500 010			
					40005604187	US0001-03	400 100 500 010	40005604188	US0001-03	400 100 500 010	40005604189	US0001-03	400 100 500 010	40005604190	US0001-03	400 100 500 010			
40005604070	US0001-06	400 100 500 010	US0001-06	400 100 500 010	40005604191	US0001-06	400 100 500 010	40005604192	US0001-06	400 100 500 010	40005604193	US0001-06	400 100 500 010	40005604194	US0001-06	400 100 500 010			
					40005604195	US0001-06	400 100 500 010	40005604196	US0001-06	400 100 500 010	40005604197	US0001-06	400 100 500 010	40005604198	US0001-06	400 100 500 010			
					40005604199	US0001-06	400 100 500 010	40005604200	US0001-06	400 100 500 010	40005604201	US0001-06	400 100 500 010	40005604202	US0001-06	400 100 500 010			
					40005604203	US0001-06	400 100 500 010	40005604204	US0001-06	400 100 500 010	40005604205	US0001-06	400 100 500 010	40005604206	US0001-06	400 100 500 010			
					40005604207	US0001-06	400 100 500 010	40005604208	US0001-06	400 100 500 010	40005604209	US0001-06	400 100 500 010	40005604210	US0001-06	400 100 500 010			
					40005604211	US0001-06	400 100 500 010	40005604212	US0001-06	400 100 500 010	40005604213	US0001-06	400 100 500 010	40005604214	US0001-06	400 100 500 010			
					40005604215	US0001-06	400 100 500 010	40005604216	US0001-06	400 100 500 010	40005604217	US0001-06	400 100 500 010	40005604218	US0001-06	400 100 500 010			
					40005604219	US0001-06	400 100 500 010	40005604220	US0001-06	400 100 500 010	40005604221	US0001-06	400 100 500 010	40005604222	US0001-06	400 100 500 010			
					40005604223	US0001-06	400 100 500 010	40005604224	US0001-06	400 100 500 010	40005604225	US0001-06	400 100 500 010	40005604226	US0001-06	400 100 500 010			
					40005604227	US0001-06	400 100 500 010	40005604228	US0001-06	400 100 500 010	40005604229	US0001-06	400 100 500 010	40005604230	US0001-06	400 100 500 010			

– For Guarantee see www.ledvance.com/guarantee

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.