

# PRODUCT DATASHEET LED VALUE CLASSIC A 13W 4000K B22d

LED VALUE CLASSIC A | LED lamps, classic bulb shape, with retrofit screw base



#### Areas of application

- General illumination
- Domestic applications
- Chandeliers

#### Product benefits

- Lower energy consumption than incandescent or halogen lamps
- Simple direct replacement for conventional incandescent lamps
- Instant 100 % light, no warm-up time

### Product features

- LED alternative to conventional lamps
- Not dimmable
- Good color rendering CRI  $\geq$  80 and color stability throughout the life of the lamp

# TECHNICAL DATA

# Electrical data

Nominal wattage	13 W
Construction wattage	13.00 W
Nominal voltage	220240 . V
Claimed equiv. conventional lamp power	100 W
Nominal current	110 mA
Operating frequency	50/60 Hz
Mains frequency	50/60 Hz
Power factor $\lambda$	> 0.50

# Photometrical data

Luminous flux	1521 lm
Luminous efficacy	117 lm/W
Light color (designation)	Cool White
Color temperature	4000 K
Color rendering index Ra	80
Light color	840

# Light technical data

Beam	angle	180 °

# Dimensions & Weight

Overall length	118.00 mm	
Diameter	60.00 mm	
Product weight	33.5 g	
Temperatures & operating conditions		
Ambient temperature range	-20+40 °C	
Additional product data		
Base (standard designation)	B22d	
Capabilities		
Dimmable	No	

#### Country-specific categorizations

	Order reference	LVCLA100 13W/84
Energy labelling regulation data acc EU 2019/2015		

Light source cap-type (or other electric interface)	B22d
Length	118.00 mm
Height	60.00 mm
Width	60.00 mm

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854534485	Folding box 1	64 mm x 64 mm x 131 mm	74.00 g	0.54 dm <sup>3</sup>
4099854534492	Shipping box 10	332 mm x 138 mm x 147 mm	897.00 g	6.73 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.