

# PRODUCT DATASHEET

## Tracklight Pendant Cylinder GU10 White

Tracklight Pendant | Tracklight pendant with socket GU10



### Areas of application

- Kitchens, living rooms, children's rooms or home offices

### Product benefits

- Elegant design
- Quick and easy lamp replacement
- Adjustable in height

### Product features

- Suitable for lamps with GU10 base
- Housing material: metal



TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	II

Dimensions & Weight

Diameter	55.00 mm
Height	1500.00 mm
Product weight	400.00 g

TRACKLIGHT PENDANT  
CYLINDER BK GU10

Materials & Colors

Product color	White
Housing color	White
Body material	Steel
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20...+40 °C
Dimmable	No
Mounting type	Suspended
Application environment	Indoor
With light source	No
Replaceable light source	No
Holder designation	GU10

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No

## Additional product data

Number of illuminants	1
-----------------------	---





## EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

## Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

## DOWNLOAD DATA

	Documents and certificates	Document name
	User instruction / safety instructions	TRACKLIGHT PENDANT CYLINDER GU10
	Legal information	Safety insert G11219578
	Declarations of conformity	TRACKLIGHT PENDANT CYLINDER
	Declarations of conformity UKCA	Fixed LUM without EMC

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854455247	Folding box 1	19 mm x 120 mm x 1,090 mm	515.00 g	2.48 dm <sup>3</sup>
4099854455254	Shipping box 4	166 mm x 152 mm x 280 mm	2060.00 g	7.06 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.