

PRODUCT DATASHEET Tracklight Supply Connector Black

Tracklight accessories | Tracklight accessories



Areas of application

- Kitchens, living rooms, children's rooms or home offices
- Entrance areas

Product benefits

- Timeless elegant design
- High-quality materials

Product features

- Customisable modular tracklight system
- Accessories for tracklight system




TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	50/60 Hz
Protection class	

Dimensions & Weight

Length	104.0 mm
Width	35.0 mm
Height	18.0 mm
Product weight	35.00 g



Materials & Colors

Product color	Black
Body material	Aluminum/Plastic

Application & Mounting

Ambient temperature range	-20+40 °C
Type of connection	Terminal, 2-pin
With light source	No

Replaceable light source	No
Certificates & Standards	

Ball shot safe No	

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

	Documents and certificates Document name	
PDF	User instruction / safety instructions	TRACKLIGHT SUPPLY CONNECTOR
PDF	Legal information	Safety insert G11219578
PDF	Declarations of conformity	TRACKLIGHT
PDF	Declarations of conformity UKCA	TRACKLIGHT ACCESSORIES

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854507861	Folding box 1	22 mm x 48 mm x 110 mm	48.00 g	0.12 dm ³
4099854507878	Shipping box 4	104 mm x 52 mm x 122 mm	219.00 g	0.66 dm ³
4099854507885	Shipping box 128	436 mm x 226 mm x 262 mm	7526.00 g	25.82 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.