

PRODUCT DATASHEET Tracklight Corner Connector White

Tracklight accessories | Tracklight accessories



Areas of application

- Kitchens, living rooms, children's rooms or home offices
- Entrance areas

Product benefits

- Timeless elegant design
- High-quality materials

Product features

- Customisable modular tracklight system
- Accessories for tracklight system




TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	50/60 Hz
Protection class	l I

Dimensions & Weight

Length	104.0 mm
Width	104.0 mm
Height	18.0 mm
Product weight	60.00 g



Materials & Colors

Product color	White
Body material	Aluminum/Plastic
	-

Application & Mounting

Ambient temperature range		-20+40 °C	
With light source		No	
Replaceable light source		No	

Certificates & Standards

Standards	CE / UKCA
Ball shot safe	No

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

	Documents and certificates	Document name	
PDF	User instruction / safety instructions	TRACKLIGHT CORNER CONNECTOR	
PDF	Legal information	Safety insert G11219578	
PDF	Declarations of conformity	TRACKLIGHT	
PDF	Declarations of conformity UKCA	TRACKLIGHT ACCESSORIES	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854508769	Folding box 1	22 mm x 130 mm x 92 mm	83.00 g	0.26 dm ³
4099854508776	Shipping box 4	138 mm x 98 mm x 104 mm	385.00 g	1.41 dm ³
4099854508783	Shipping box 64	410 mm x 292 mm x 226 mm	6754.00 g	27.06 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.