

# PRODUCT DATASHEET ENDURA® Classic Hagen Wall E27 IP44 Dark Grey

ENDURA® Classic Hagen | Aluminum lantern-style wall and bollard luminaires with nordic design, glass cover, E27 socket and option with movement detection and daylight sensor



### Areas of application

- Outdoor
- Entrance lighting
- Patios, balconies
- General illumination
- Facade and building illumination
- Pathway lighting

#### Product benefits

- High flexibility in the choice of the light source thanks to E27 socket
- Easy and quick installation
- Option with PIR motion detection and daylight sensor, matching with housing color available
- Long-term energy and cost savings (sensor version)

#### **Product features**

- Suitable for smart applications thanks to compatibility with SMART+ lamps
- Lower light smog, on-demand lighting (sensor version)
- Direct illumination
- Die-cast aluminum housing
- Anthracite housing color
- Glass diffuser



Dark Grey

- Type of protection: IP44

# TECHNICAL DATA

# Electrical data

Nominal voltage	220240 V
Mains frequency	50 Hz
Protection class	1
Operating mode	Mains voltage

# Dimensions & Weight

Length	120.00 mm
Width	187.00 mm
Height	321.00 mm
Product weight	1155.00 g

# Materials & Colors

Product color	Dark grey
Housing color	Dark grey
Body material	Steel
Cover material	Glass
Glow Wire Test according to IEC 60695-2-12	650 °C

# **Application & Mounting**

Ambient temperature range	-20+45 °C
Temperature range at storage	-20+80 °C
Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP44/IP44
Protection class IK (shock resistance)	IK03
Dimmable	No
Mounting type	Surface
Mounting location	Wall
Application environment	Outdoor
With light source	No
Replaceable light source	No
Holder designation	E27

# Certificates & Standards

Standards	CE / UKCA
-----------	-----------

Ball shot safe	No
Replaceable light source (EPREL)	Not replaceable

#### Additional product data

Product remark	Maximum bulb wattage: 40 W
Number of illuminants	1

#### **EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included
- No light sources included

#### Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.

#### **DOWNLOAD DATA**

	Documents and certificates	Document name
POF	User instruction / safety instructions	ENDURA CLASSIC HAGEN WALL
POF	Legal information	Safety insert G11219578

# LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854709623	Folding box	147 mm x 233 mm x 372 mm	1378.00 g	12.74 dm <sup>3</sup>
4099854709630	Shipping box 4	585 mm x 252 mm x 398 mm	6359.00 g	58.67 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.