

PRODUCT DATASHEET

ENDURA® Classic Tube Updown Wall GU10 IP54 Dark Grey

ENDURA® Classic Tube | Minimalistic wall and ceiling luminaires with GU10 socket



Areas of application

- Outdoor
- Decorative illumination
- Facade and building illumination
- Entrance lighting
- Patios, balconies
- General illumination

Product benefits

- High flexibility in the choice of the light source thanks to GU10 socket
- Easy and quick installation

Product features

- Suitable for smart applications thanks to compatibility with SMART+ lamps
- Anthracite housing color
- Glass diffuser
- Type of protection: IP54



TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50 Hz
Protection class	II
Operating mode	Mains voltage

Dimensions & Weight

Length	68.00 mm
Width	92.00 mm
Height	151.00 mm
Product weight	300.00 g

Materials & Colors

Product color	Dark grey
Housing color	Dark grey
Body material	Carbon Fibre nylon
Cover material	Glass
Glow Wire Test according to IEC 60695-2-12	650 °C

Application & Mounting

Ambient temperature range	-20...+45 °C
Temperature range at storage	-20...+80 °C
Type of connection	Terminal, 2-Pole (L, N)
Type of protection	IP54/IP54
Protection class IK (shock resistance)	IK06
Dimmable	No
Mounting type	Surface
Mounting location	Wall
Application environment	Outdoor
With light source	No
Replaceable light source	No
Holder designation	GU10

Certificates & Standards

Standards	CE / UKCA
-----------	-----------

Ball shot safe	No
Replaceable light source (EPREL)	Not replaceable

Additional product data

Product remark	Maximum bulb wattage: 2 x 5 W LED
Number of illuminants	2



EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included
- No light sources included

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	ENDURA CLASSIC TUBE WALL
	Legal information	Safety insert G11219279

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854709708	Folding box 1	77 mm x 102 mm x 161 mm	364.00 g	1.26 dm ³
4099854709715	Shipping box 4	222 mm x 172 mm x 187 mm	1655.00 g	7.14 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.