

PRODUCT DATASHEET SMART+ ZB PLUG UK

SMART+ plugs with Zigbee technology | Plug with smart socket to control non smart devices with ZigBee technology



Areas of application

 Wherever non-smart devices need to be integrated into compatible smart home systems

Product benefits

- Integrates conventional electric equipment into compatible smart home systems
- Enables switching of conventional light sources and other electric devices
- Simple connection of electric devices via standard socket

Product features

- Control via compatible smart home system or on/off button on the device
- Control via voice control available: Google Assistant or Amazon Alexa, depending on the smart home system in use
- Network protocol: ZigBee 3.0
- Scheduling
- For full functionality, connection to a compatible smart home System (gateway and app) required
- $-\,$ High switching power up to 3,680W / 16A EU version and 2,990W / 13A UK version



TECHNICAL DATA

Electrical data

| Nominal voltage | 230 V |
|-----------------|-------|
| Mains frequency | 50 Hz |

Dimensions & Weight



| Product weight | 80.00 g |
|----------------|---------|
| Length | 64 mm |
| Width | 55 mm |
| Height | 55 mm |

Lifespan

| Number of switching cycles | 100000 |
|----------------------------|--------|
|----------------------------|--------|

Colors & materials

| Product color | White |
|---------------|---------|
| Body material | Plastic |

Temperatures & operating conditions

Capabilities

| Compatible smart home technology | Amazon Alexa / Google Home / Philips Hue | |
|----------------------------------|--|--|
| | | |

Certificates & Standards

| Protection class | 1 |
|--------------------|------|
| Type of protection | IP20 |

EQUIPMENT / ACCESSORIES

- Control via app requires a compatible Smart home system

Safety advice

- Disconnect devices which generate heat from the mains, i.e. from the SMART+ Plug, after use in order to avoid them being accidentally switched on
- Very high capacitive and inductive loads may in some cases lead to destruction of the device or reduction in the number of switching cycles.
- Do not use the SMART+ Plug in conjunction with medical equipment.
- To be connected to an automatic circuit breaker (max. 13 A).

DOWNLOAD DATA

| | Documents and certificates | Document name |
|-----|---------------------------------|--------------------|
| PDF | Extended installation guide | SMART PLUG UK |
| PDF | Declarations of conformity | SMART ZB PLUG UK |
| PDF | Declarations of conformity UKCA | SMART ZB PLUG UK |
| PDF | EU Data Act | SMART ZigBee Plugs |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4058075729285 | Folding box 1 | 61 mm x 96 mm x 154 mm | 169.00 g | 0.90 dm ³ |
| 4058075729292 | Shipping box 4 | 211 mm x 167 mm x 141 mm | 796.00 g | 4.97 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.