

# PRODUCT DATASHEET

## SMART+ ZB PLUG EU

SMART+ plugs with Zigbee technology | Plug with smart socket to control non smart devices with ZigBee technology



---

### Areas of application

- Wherever non-smart devices need to be integrated into compatible smart home systems

---

### Product benefits

- Integrates conventional electric equipment into compatible smart home systems
- Enables switching of conventional light sources and other electric devices
- Simple connection of electric devices via standard socket

---

### Product features

- Control via compatible smart home system or on/off button on the device
- High switching power: up to 3,680 W / 16 A
- Functionality depends on used type of control
- Network protocol: ZigBee 3.0



---

## TECHNICAL DATA

### Electrical data

Nominal voltage	230 V
Mains frequency	50 Hz

### Dimensions & Weight

Product weight	131.00 g
Length	84 mm
Width	60 mm
Height	60 mm

### Lifespan

Number of switching cycles	100000
----------------------------	--------

### Colors & materials

Product color	White
Body material	Plastic

### Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

### Capabilities

Compatible smart home technology	Philips Hue / Amazon Alexa / Google Assistant
----------------------------------	---

### Certificates & Standards

Protection class	I
Type of protection	IP20

---

## EQUIPMENT / ACCESSORIES

- Control via app requires a compatible Smart home system





---

### Safety advice

- Disconnect devices which generate heat from the mains, i.e. from the SMART+ Plug, after use in order to avoid them being accidentally switched on.
- Very high capacitive and inductive loads may in some cases lead to destruction of the device or reduction in the number of switching cycles.
- Do not use the SMART+ Plug in conjunction with medical equipment.
- To be connected to an automatic circuit breaker (for UK max. 13 A and for EU max. 16 A)

- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.

## DOWNLOAD DATA

Documents and certificates		Document name
	Extended installation guide	UI SMART+ Plug
	Declarations of conformity	Declaration of Conformity Smart Home
	Declarations of conformity	EU Declaration of Conformity Zigbee Plug
	EU Data Act	SMART ZigBee Plugs

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075208315	Folding box 1	61 mm x 96 mm x 154 mm	179.00 g	0.90 dm <sup>3</sup>
4058075212848	Shipping box 4	211 mm x 167 mm x 141 mm	882.00 g	4.97 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.