

# PRODUCT DATASHEET P RF CLAS A 60 CL 4 W/2700 K E27

PARATHOM® CLASSIC A | LED lamps, classic bulb shape



#### Areas of application

- Perfect for decorative installations
- Domestic applications
- General illumination
- Outdoor use in suitable outdoor luminaires only

#### **Product benefits**

- Lamps with innovative LED "filament" technology
- Design, dimensions, luminous flux comparable to an incandescent or halogen lamp
- Lower energy consumption than incandescent or halogen lamps
- No UV and near-IR radiation in the light beam
- Instant 100 % light, no warm-up time
- Can be easily fitted instead of ordinary light bulbs

#### Product features

- Professional LED lamps for line voltage
- Beam angle: up to 300°
- Not dimmable
- Base: E27



- Lifetime up to 15,000 h
- Lamp made of glass

## TECHNICAL DATA

## Electrical data

Nominal wattage	4 W
Construction wattage	4.00 W
Nominal voltage	220240 V
Claimed equiv. conventional lamp power	60 W
Nominal current	35 mA
Operating frequency	5060 Hz
Mains frequency	5060 Hz
Power factor $\lambda$	> 0.4

### Photometrical data

Luminous flux	470 lm
Luminous efficacy	117 lm/W
Light color (designation)	Warm White
Color temperature	2700 K
Color rendering index Ra	≥80
Light color	827

# Light technical data

Beam angle	300 °
Starting time	<1s

## Dimensions & Weight

Overall length	105.00 mm
Diameter	60.00 mm
Product weight	34.00 g

## Temperatures & operating conditions

Ambient temperature range	-20+40 °C

## Additional product data

Base (standard designation)	E27
Mercury content	0.0 mg
Mercury-free	Yes

All technical parameters apply to the entire lamp / Due production process for light-emitting diodes, the typical product remark  Product remark  for the technical LED parameters are purely statistical was not necessarily match the actual technical parameters individual product, which can vary from the typical value.	values shown alues that do of each
--	--

## Capabilities

Dimmable	No

### Country-specific categorizations

Order reference	SCL A60 4W E26

### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E27
Length	105.00 mm
Height	60.00 mm
Width	60.00 mm

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075032255	Folding box 1	60 mm x 60 mm x 111 mm	48.00 g	0.40 dm <sup>3</sup>
4058075032262	Shipping box 10	315 mm x 131 mm x 126 mm	573.00 g	5.20 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.