

PRODUCT DATASHEET DECOSTAR 35 35 W 12 V 36° GU4

DECOSTAR® 35 | Halogen dichroic reflector lamps with 35 mm diameter



Areas of application

- General illumination
- Workplace lighting
- Kitchen lighting
- Mirror lighting
- Object lighting
- Shops
- Restaurants, hotels and similar prestigious applications

Product benefits

- Brilliant accent light
- $\,$ Dichroic reflector reduces the heat in the light beam by up to 66 %
- Approved for use in open luminaires (to IEC 60598-1)
- UV filter
- Contains no mercury

Product features

- Average life: 4,000 h
- 100 % dimmable
- Color rendering index Ra: 100
- Diameter: 35 mm
- Deco cover

TECHNICAL DATA

Electrical data

Nominal wattage	35 W	
Construction wattage	35.00 W	
Nominal voltage	12 V	

Photometrical data

Luminous intensity	1000 cd	
Light color (designation)	Warm White	
Color temperature	2900 K	
Color rendering index Ra	100	
Light color	1029	
UV protection	Yes	

Light technical data

Beam angle	36 °
Starting time	0 s

Dimensions & Weight

Overall length	42.00 mm
Diameter	35.0 mm
Product weight	13.4 g

Additional product data

Base (standard designation)	GU4
Mercury-free	Yes
Design / version	Reflector

Capabilities

Dimmable	Yes
Burning position	Any

Country-specific categorizations

ILCOS	HRGS//UB-35-12-GU4-35/36	
Order reference	44892 WFL 35W 1	

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	GU4
Length	40.00 mm
Height	35.0 mm

Width 35.0 mm	
---------------	--

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321165350	Folding box 1	34 mm x 34 mm x 50 mm	17.40 g	0.06 dm ³
4008321348708	Bundle 10	170 mm x 68 mm x 50 mm	174.00 g	0.58 dm ³
4008321348715	Shipping box 100	179 mm x 143 mm x 256 mm	1873.00 g	6.55 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.