

PRODUCT DATASHEET

DST STICK 23 W/860 B22D

OSRAM DULUXSTAR® COMPACT | CFLi, stick shape, with screw base



TECHNICAL DATA

Electrical data

| | |
|----------------------|-------------|
| Nominal wattage | 23 W |
| Construction wattage | 23.00 W |
| Nominal voltage | 220...240 V |
| Nominal current | 230 mA |
| Operating frequency | 50...60 Hz |
| Mains frequency | 50...60 Hz |

Photometrical data

| | |
|---------------------------|----------|
| Luminous flux | 1380 lm |
| Light color (designation) | Daylight |
| Color temperature | 6500 K |
| Color rendering index Ra | ≥80 |
| Light color | 865 |

Dimensions & Weight

| | |
|----------------|-----------|
| Overall length | 174.00 mm |
| Diameter | 52,0 mm |
| Product weight | 90.00 g |

Additional product data

| | |
|-----------------------------|--------|
| Base (standard designation) | B22d |
| Mercury content | 1.8 mg |
| Mercury-free | No |

Capabilities

| | |
|----------|----|
| Dimmable | No |
|----------|----|

Country-specific categorizations

| | |
|-----------------|-----------------|
| Order reference | DSTAR 23W/865 2 |
|-----------------|-----------------|

Energy labelling regulation data acc EU 2019/2015

| | |
|---|-----------|
| Light source cap-type (or other electric interface) | B22d |
| Length | 174.00 mm |
| Height | 52,0 mm |
| Width | 52,0 mm |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4050300796208 | Folding box 1 | 52 mm x 52 mm x 178 mm | 0.11 g | 0.48 dm ³ |
| 4058075011311 | Shipping box 20 | 263 mm x 210 mm x 194 mm | 2264.00 g | 10.71 dm ³ |
| 4008321873682 | Shipping box 20 | 268 mm x 216 mm x 193 mm | 2.56 g | 11.17 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.