

## PRODUCT DATASHEET

### HQI-E 400 W/D

POWERSTAR HQI®-E coated 250...400 W | Metal halide lamps with quartz technology for enclosed luminaires



---

#### Areas of application

- Factories and workshops
- Exhibition halls and trade fairs
- Sports halls and multi-purpose halls
- Approved only for use in enclosed luminaires
- Outdoor applications only in suitable luminaires

---

#### Product benefits

- E40 screw base for simple lamp handling
- UV values significantly below the maximum permitted thresholds to IEC 61167 thanks to UV filter

---

#### Product features

- POWERSTAR® quartz technology
- Light colors: neutral white (NDL), daylight (D)

---

## TECHNICAL DATA

### Electrical data

Nominal wattage	400 W
Construction wattage	420.00 W

### Photometrical data

Light color (designation)	Daylight
Color temperature	5200 K
Color rendering index Ra	90
Light color	952

### Dimensions & Weight

Overall length	290.00 mm
Diameter	122 mm
Product weight	237.00 g

### Additional product data

Base (standard designation)	E40
Mercury content	64.0 mg
Mercury-free	No
Design / version	Coated

### Country-specific categorizations

Order reference	HQI-E 400W/D PR
-----------------	-----------------

### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E40
Length	290.00 mm
Height	122 mm
Width	122 mm

---

### Safety advice

- Do not stare at the operating light source: The luminaire should be positioned so that prolonged staring into the luminaire at a distance closer that 4 m is not expected.
- Disconnect mains before installation.
- Must not be used if outer bulb is defective.
- Lamp to be used only in a closed luminaire.

---

## LOGISTICAL DATA

---

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321628664	Round wrap 1	392 mm x 411 mm	287.00 g	
4008321628671	Shipping box 12	493 mm x 378 mm x 314 mm	4282.00 g	58.52 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.