

PRODUCT DATASHEET

MI POWER ARC METAL HALIDES 250W/U E40 COATED

MI POWER ARC METAL HALIDES | Metal halide lamps with quartz technology



Areas of application

- Flood light applications
- Industry
- Commercial lighting
- Retail
- Lobbies
- Parking
- Shopping malls

Product features

- Available in 250 and 400 watts, in both clear and phosphor coated outer jackets
- High Lumen Output
- E40 screw base for simple lamp handling

TECHNICAL DATA

Electrical data

Nominal wattage	250 W
Construction wattage	250.00 W
Nominal current	2.1 A

Photometrical data

Luminous flux	19500 lm
Luminous efficacy	78 lm/W
Color temperature	3800 K
Color rendering index Ra	70
Light color	738

Dimensions & Weight

Overall length	212.00 mm
Diameter	28.00 mm
Product weight	160.5 g

Additional product data

Base (standard designation)	E40
Mercury content	32.0 mg

Country-specific categorizations

Order reference	MI 250W/U ED28
-----------------	----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E40
Length	212.00 mm
Height	28.00 mm
Width	28.00 mm

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075471665	Sleeve 1	96 mm x 96 mm x 215 mm	200.50 g	1.98 dm ³
4058075471672	Shipping box 6	335 mm x 236 mm x 265 mm	1677.00 g	20.95 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.