

PRODUCT DATASHEET

CLAS P CL 11 W 230...240 V E27

CLASSIC P | Incandescent lamps, classic mini-ball shape



Areas of application

- Domestic applications
- Shops, hotels and restaurants
- Meeting rooms
- Shopping centers
- Luminaires with E27 or E14 screw holders (depending on version)

Product benefits

- Brilliant light (CL clear version)
- Reduced glare and softened shadows (FR frosted version)

Product features

- Non-oxidizing aluminum base

TECHNICAL DATA

Electrical data

Nominal wattage	11 W
Construction wattage	11.00 W
Nominal voltage	230...240 V

Photometrical data

Luminous flux	50 lm
Luminous efficacy	4 lm/W
Color temperature	2700 K
Light color	27

Light technical data

Starting time	0 s
---------------	-----

Dimensions & Weight

Overall length	74.00 mm
Diameter	45,0 mm
Product weight	20.00 g

Additional product data

Base (standard designation)	E27
Mercury content	0.0 mg
Mercury-free	Yes
Design / version	Clear

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

ILCOS	IBP/C-11-235-E14-45
Order reference	CLAS P CL 11W 2



Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E27
Length	72.00 mm
Height	45,0 mm
Width	45,0 mm
EPREL ID	714460
Model number	AA79271

Safety advice

- Do not touch the lamp if broken.
 - Must not be used if outer bulb is defective.
 - Lamp to be used only in a closed luminaire.
-

DOWNLOAD DATA

Documents and certificates	Document name
 On-Pack-Info	ELR - exempt lamps
 Declarations of conformity	GLS CLAS 11W

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4008321844217	Folding box 1	77 mm x 44 mm x 44 mm	20.70 g	0.15 dm ³
4008321844224	Shipping box 20	224 mm x 85 mm x 184 mm	590.00 g	3.50 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.
