

PRODUCT DATASHEET

SPC.T CL 15 W 230 V E14

SPECIAL OVEN T | Incandescent lamps, tubular shape, for oven lighting



Areas of application

- Baking ovens
- Domestic baking ovens

TECHNICAL DATA

Electrical data

Nominal wattage	15 W
Construction wattage	15.00 W
Nominal voltage	230 V
Power factor λ	1.00

Photometrical data

Luminous flux	110 lm
Luminous efficacy	7 lm/W
Lumen main.fact.at end of nom.life time	0.75
Color temperature	2700 K
Color rendering index Ra	100
Light color	1027

Light technical data

Warm-up time (60 %)	0.00 s
Starting time	0.0 s

Dimensions & Weight

Overall length	57.00 mm
Length with base excl. base pins/connection	57.00 mm
Light center length (LCL)	45,0 mm
Diameter	26,0 mm
Maximum diameter	26 mm
Product weight	10.3 g

Additional product data

Base (standard designation)	E14
Mercury content	0.0 mg
Mercury-free	Yes

Capabilities

Dimmable	Yes
----------	-----

Certificates & Standards

Energy efficiency class	E
-------------------------	---

Energy consumption	15.00 kWh/1000h
--------------------	-----------------

Country-specific categorizations

ILCOS	IBT/C-15-230-E14-26
Order reference	SOA91900 SPC.T2

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E14
Length	57.00 mm
Height	26,0 mm
Width	26,0 mm

Safety advice

- Do not touch the lamp if broken.
- Must not be used if outer bulb is defective.
- Lamp to be used only in a closed luminaire.
- Not designed as a replacement for conventional lighting in private household.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300201900	Unpacked 1	37 mm x 18 mm x 20 mm	11.20 g	0.01 dm ³
4050300201917	Shipping box 500	370 mm x 315 mm x 370 mm	6165.25 g	43.12 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.