

# PRODUCT DATASHEET DALI MCU TW

DALI MCU Tunable White | Light management systems



### Areas of application

- Conference rooms
- Restaurants
- Shop lighting
- Private homes

#### Product benefits

- Intuitive manual dimming, switching and changing of colour temperature
- Individual setting of minimal brightness level
- Individual setting of colour temperature range

#### Product features


- Up to 4 DALI MCU TWs can be connected in parallel to set up multiple control points
- Automatic synchronization between the control points
- Cover and rotary switch in neutral white
- Length of the DALI control cable: up to 300 m

# TECHNICAL DATA

# Electrical data

Nominal wattage	2.00 W
Nominal voltage	230 V
Mains frequency	50/60 Hz

# Dimensions & Weight



Length	80.00 mm
Width	80.00 mm
Height	50.00 mm
Product weight	98.00 g

# Colors & materials

Product color	White

# Temperatures & operating conditions

|--|--|

# Additional product data

Number of control outputs	1

# Capabilities

Dimmable	Yes
Dimming interface	DALI
Number of control outputs	1

Type of installation	Integrated in flush device box
Certificates & Standards	
Approval marks – approval	CE
Protection class	II
Type of protection	IP20

## **EQUIPMENT / ACCESSORIES**

- Suitable for up to 25 electronic control gears
- Cover and rotary knob included

## DOWNLOAD DATA

Documents and certificates		Document name	
PDF	User instruction / safety instructions	726867_User instruction DALI MCU TW	
POF	User instruction / safety instructions	726866_DALI MCU TW - mounting instruction	

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4052899465916	Folding box 1	83 mm x 83 mm x 68 mm	123.00 g	0.47 dm <sup>3</sup>
4052899465923	Shipping box 15	440 mm x 210 mm x 140 mm	2210.00 g	12.94 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.