

PRODUCT DATASHEET

MS-CV-DIM RF 12/24 V RGB RM

LMS CV VALUE Remote Controller RGB | Remote controller with radio frequency technology



Areas of application

- Suitable for indoor applications.
- Suitable for LED strip application
- Cove lighting
- Backlighting
- Under cabinet lighting
- Hotels
- Offices
- Residential interiors

Product benefits

- Stepless dimming thanks to stepless ring on the remote controller
- Red indication light would be light-on if any button on the remote controller is pressed

Product features

- Range of up to 30 meters between the nearest RGB dimming controller and the remote controller
- Can be combined with several LEDVANCE VALUE RGB dimming controllers
- Four dimming control groups can be controlled via a 4-channel remote controller separately
- Choice of 10 different operating modes for a wide range of applications
- Compatible with LEDVANCE VALUE RGB Dimming Controller
- Compatible with LEDVANCE VALUE 24 V constant voltage driver

TECHNICAL DATA

Electrical data

Nominal wattage	240.00 W
Nominal voltage	12...24 V
Mains frequency	50...60 Hz

Dimensions & Weight

Length	107.00 mm
Width	58.50 mm
Height	9.00 mm
Product weight	63.00 g


Capabilities

Dimmable	Yes
----------	-----

Certificates & Standards

Protection class	I
Type of protection	IP20

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	MS-CV-DIM RF 12/24V RGB RM EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075359826	Folding box 1	66 mm x 21 mm x 116 mm	74.00 g	0.16 dm³
4058075359833	Shipping box 10	138 mm x 112 mm x 124 mm	799.00 g	1.92 dm³
4058075383838	Shipping box 120			

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.