

PRODUCT DATASHEET LS AY -PF02/U/16X5/10/2

Flat Profiles for LED Strips | Flat Profiles for LED Strips



Areas of application

- General indoor illumination

Product benefits

- Low profile

- Quick and simple installation

TECHNICAL DATA

Dimensions & Weight

Length	2000 mm
Width	16.0 mm
Height	5.0 mm
Product weight	140.00 g

Colors & materials

|--|

Temperatures & operating conditions

Ambient temperature range	-15+45 °C
Temperature range in operation	-15+45 °C

Additional product data

Can be combined with SUPERIOR UNPROTECTED Strips excluding connectors / Cannot be combined with SUPERIOR PROTECTED Strips / Can be combined with PERFORMANCE UNPROTECTED Strips excluding connectors / Cannot be combined with Performance Strips excluding connectors / Cannot be combined with PERFORMANCE PROTECTED Strips / Can be combined with VALUE UNPROTECTED Strips / Cannot be combined with VALUE PROTECTED Strips
--

LOGISTICAL DATA

Temperature range at storage	-35+85 °C
Tompolataro tango at ototago	

Accessories Optional

Product image	Product name	EAN
	LS AY -PC/P01/D/1	4058075279339
	LS AY -PC/P01/D/2	4058075401839
	LS AY -PC/P01/C/2	4058075402010
	LS AY -PF02/MB	4058075276741

Product image	Product name	EAN
	LS AY -PF02/EC/H	4058075277601
	LS AY -PF02/EC	4058075277571
	LS AY -PC/P01/C/1	4058075402195

DOWNLOAD DATA

	Documents and certificates	Document name	
POF	Declarations of conformity	nformity LS AY PM_PF_PW_PC	
	Tender texts	Document name	
	Tender documents	Flat Profiles for LED Strips PF02U16X5102-EN	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075401563	BAG 1	2,000 mm x 16 mm x 6 mm	141.00 g	0.19 dm ³
4058075401570	Bundle 5	2,000 mm x 16 mm x 30 mm	706.00 g	0.96 dm ³
4058075401587	Shipping box 25	2,040 mm x 165 mm x 90 mm	4034.00 g	30.29 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.