

PRODUCT DATASHEET SF BLKH RING 300 BK

SURFACE BULKHEAD RING | Attachable cover ring (IK10)



Product features


- Cover ring for Surface Bulkhead
- Available for 250 mm and 300 mm Bulkhead version
- Available in black and white color
- Impact resistance: IK10



TECHNICAL DATA

Dimensions & Weight

| Diameter | 308 mm |
|----------------|----------|
| Height | 57.0 mm |
| Product weight | 280.00 g |



Materials & Colors

| Product color | Black |
|---------------|-------|
| | |

Application & Mounting

| Mounting location | Luminaire |
|--------------------------|-----------|
| Replaceable light source | No |

Certificates & Standards

| Luminaire with limited surface temperature, "D sign" | No |
|--|----|
| | |

DOWNLOAD DATA

| | Documents and certificates | Document name | |
|-----|--|------------------|--|
| POF | User instruction / safety instructions | SURFACE BULKHEAD | |

| Photometric and lighting design files | iles Document name | |
|---------------------------------------|---------------------------|--|
| IES file (IES) | SF BLKH RING 300 BK 3000K | |
| IES file (IES) | SF BLKH RING 300 BK 4000K | |

| Tender texts | Document name |
|------------------|---------------------------------|
| Tender documents | SURFACE BULKHEAD RING 300 BK-EN |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075399396 | Folding box | 74 mm x 322 mm x 66 mm | 385.00 g | 1.57 dm ³ |
| 4058075399402 | Shipping box 8 | 570 mm x 340 mm x 330 mm | 3801.00 g | 63.95 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.