

PRODUCT DATASHEET LN INDV Suspension Wire

LINEAR IndiviLED® SUSPENSION WIRE | Suspension wire



PERFOR-MANCE CLASS

Product benefits

- Accessory steel wire for suspended mounting of light lines
- Wire length adjustable thanks to quick-release clamp

Product features

- Steel wire additionally for pendant light line mounting with quick release
- Adjustable steel wires, maximum lenght each: 1.5 m



TECHNICAL DATA

Dimensions & Weight

| Length | 1610 mm |
|----------------|---------|
| Width | 1 mm |
| Height | 1 mm |
| Product weight | 52.00 g |
| Cable length | 1560 mm |

Materials & Colors

| Product color | Steel |
|---------------|-------|
| Body material | Steel |

Application & Mounting

| Replaceable light source | No |
|--------------------------|----|
| Certificates & Standards | |

No

Ball shot safe

DOWNLOAD DATA

| Tender texts | Document name |
|------------------|---|
| Tender documents | LINEAR IndiviLED SUSPENSION WIRE Suspension Wire-EN |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4058075133327 | BAG 1 | 130 mm x 90 mm x 1 mm | 57.00 g | 0.01 dm ³ |
| 4058075133334 | Bag for 2nd level 4 | | | |
| 4058075173859 | Shipping box 40 | 260 mm x 200 mm x 150 mm | 2523.00 g | 7.80 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.