

# PRODUCT DATASHEET

## LED Value Batten 1200 13 W 3000 K

LED VALUE BATTEN | LED batten luminaires



### Areas of application

- Contour lighting
- Cove lighting
- Shelves
- Backlighting

### Product benefits

- Homogeneous light output
- Mercury-free technology
- Reliable connection thanks to 3-pin plug connection

### Product features

- Uniform illumination
- Color rendering index  $R_a$ :  $> 80$
- Beam angle:  $120^\circ$
- Luminaire efficacy: up to 100 lm/W
- Power factor:  $> 0.9$
- Lifetime (L70/B50): up to 20,000 h



TECHNICAL DATA

Electrical data

Nominal wattage	13.00 W
Nominal voltage	100...240 V
Mains frequency	50...60 Hz
Power factor $\lambda$	0.90
Protection class	II

Photometrical data

Luminous flux	1300 lm
Luminous efficacy	100 lm/W
Color temperature	3000 K
Light color (designation)	Warm White
Color rendering index Ra	$\geq 80$
Standard deviation of color matching	5 sdc <sub>m</sub>
Beam angle	120 °

Dimensions & Weight

Length	1180.00 mm
Width	23.00 mm
Height	35.00 mm
Product weight	290.00 g



LED T5 Batten 13W

Materials & Colors

Product color	White
Housing color	White
Body material	Polycarbonate (PC) Polyvinyl chloride (PVC)

Application & Mounting

Ambient temperature range	-10...+40 °C
Temperature range at storage	-40...+70 °C
Type of protection	IP20
Dimmable	No
Mounting location	Ceiling / Wall
Application environment	Indoor
Replaceable light source	No


### Lifespan

Number of switching cycles	15000
----------------------------	-------

### Certificates & Standards

Replaceable light source (EPREL)	Not replaceable
----------------------------------	-----------------

### DOWNLOAD DATA

Photometric and lighting design files		Document name
	IES file (IES)	LED BAT PRO 4F 13W 100-240V

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075310674	Folding box 1	1,217 mm x 37 mm x 25 mm	316.00 g	1.13 dm <sup>3</sup>
4058075310681	Shipping box 30	1,240 mm x 200 mm x 164 mm	10388.00 g	40.67 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.