

PRODUCT DATASHEET Vintage 1906 PenduLum PRO Gold

Vintage 1906® PenduLum PRO | Indoor pendant luminaires in vintage style



Areas of application

- Living areas (living rooms, dining rooms, bedrooms etc.)
- Professional (hotels, bars, boutiques etc.)

Product benefits

- Flexible lighting thanks to countless mounting possibilities
- Made of solid aluminum with high-quality appearance
- Semi-matt surface with great look and feel
- Accessories for flexible mounting options included

Product features

- Reduced industrial design
- Made of classic materials
- Special vintage appeal when combined with 1906 LED and halogen lamps
- Flexible mounting options: leash principle
- Available in various colors




TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	I

Dimensions & Weight

Diameter	68.00 mm
Length	84.00 mm
Height	84.00 mm
Product weight	481.00 g
Cable length	3000 mm



707561_Vintage 1906 PenduLum

Materials & Colors

Product color	Gold
Housing color	Gold
Body material	Aluminum

Application & Mounting

Type of connection	Screw terminal, 3-Pole
Type of protection	IP20
Protection class IK (shock resistance)	IK03
Dimmable	No
Mounting type	Suspended
Mounting location	Ceiling

Application environment	Indoor
With light source	No
Replaceable light source	No
Holder designation	E27

Certificates & Standards

Standards	CE
Ball shot safe	No

Additional product data

Number of illuminants 1

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	Declarations of conformity	CE Declaration 1906 Vintage

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075800663	Folding box 1	140 mm x 140 mm x 213 mm	627.00 g	4.17 dm ³
4058075800670	Shipping box 4	291 mm x 291 mm x 228 mm	2766.00 g	19.31 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- "Further information at www.edition-1906.com"

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.