

PRODUCT DATASHEET LINEAR LED CORNER 18 W 3000 K

Linear LED Corner | Modular undercabinet luminaire system

Areas of application

- Undercabinet lighting
- For indoor use only



Product benefits

- Easy and quick series connection thanks to simple plug system
- Very homogenous light
- Connection of up to 15 luminaires in a row

Product features

- Housing material: aluminum



TECHNICAL DATA

Electrical data

Nominal wattage	18.00 W
Nominal voltage	220240 V
Mains frequency	50 Hz
Nominal current	140 mA
Power factor λ	> 0.5
Protection class	I
Operating mode	Integrated LED driver

Photometrical data

Luminous flux	1150 lm
Luminous efficacy	63 lm/W
Color temperature	3000 K
Light color (designation)	Warm White
Color rendering index Ra	> 80

Dimensions & Weight

Length	778.00 mm
Width	90.00 mm
Height	44.00 mm
Product weight	657.00 g
Cable length	1000 mm



Materials & Colors

Product color	Silver
Housing color	Silver
Body material	Aluminum
Cover material	Polycarbonate (PC)
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20+40 °C
Type of connection	Protective contact Plug type
Type of protection	IP20
Dimmable	No
Mounting type	Surface
Mounting location	Cabinet undersides
LED module replaceable	Not replaceable

Certificates & Standards

Standards	CE / EAC / REACH / RoHS
-----------	-------------------------

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

DOWNLOAD DATA

	DOWNLOAD DATA
PDF	User instruction LINEAR LED CORNER
	Tender documents Tender Text 4058075392144
PDF	Declarations of conformity CE Declaration LED Corner with USB and Bluetooth

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075392144	Folding box 1	51 mm x 94 mm x 920 mm	738.00 g	4.41 dm³
4058075392151	Shipping box 8	903 mm x 390 mm x 120 mm	6723.00 g	42.26 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.