

# PRODUCT DATASHEET LUNETTA Hall White

LUNETTA® Hall | Socket nightlight with tilt function



# Areas of application

- Children's bedrooms
- Decorative domestic lighting
- For indoor use only

# Product benefits

- Attractive and functional design
- Plug and Play due to EU Plug
- Automatically switches on and off according to the amount of available daylight
- Light direction individually adjustable

#### Product features

- Integrated day/night sensor
- Direct connection to a 220...240 V AC supply



# **TECHNICAL DATA**

# Electrical data


Nominal wattage	0.20 W
Nominal voltage	220240 V
Mains frequency	5060 Hz
Nominal current	16.000 mA
Max. number of luminaires per miniature circuit breaker C10	-
Protection class	П
Operating mode	Mains voltage

#### Photometrical data

Luminous flux	3 lm
Color temperature	3000 K
Light color (designation)	Warm White
Color rendering index Ra	> 80

# Dimensions & Weight

Length	65.00 mm
Width	84.00 mm
Height	73.00 mm
Product weight	55.00 g



# Materials & Colors

Product color	White
Housing color	White
Body material	Polycarbonate (PC)
Light emitting surface material	Plastic

Mercury content	0.0 mg	
Application & Mounting		
Ambient temperature range	-20+40 °C	
Type of connection	Plug type C (EU)	
Type of protection	IP20	
Dimmable	No	
Mounting type	Surface	
Mounting location	Socket	
Application environment	Indoor	
With light source	Yes	
Replaceable light source	No	

Lifespan L70/B50 at 25 °C	25000 h <sup>1)</sup>
---------------------------	-----------------------

<sup>1)</sup> t[h]: L70 / B50 @ 25 °C (Ta), t[h]: L80 / B10 @ 25 °C (Ta), t[h]: L90 / B10 @ 25 °C (Ta)

#### Certificates & Standards

Standards	CE / EAC
Replaceable light source (EPREL)	Not replaceable

# Safety advice

- This product is not a toy. It should not be left unattended in the hands of children or operated by children.
- Not designed as a replacement for conventional lighting in private household.

# DOWNLOAD DATA

	Documents and certificates	Document name	
PDF	Legal information	Legal insert B-not dimmable	
POF	Declarations of conformity	CE Declaration Lunetta Slim	

# LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume	
--------------	------------------------------	--------------------------------------	--------------	--------	--

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075266803	Blister 1	68 mm x 140 mm x 195 mm	75.00 g	1.86 dm <sup>3</sup>
4058075266810	Shipping box 6	421 mm x 154 mm x 210 mm	641.00 g	13.62 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.