

PRODUCT DATASHEET

TRACK HEAD 45W FL24 BLACK

TRACK LIGHTS CCT SELECTABLE | Track Light luminaire with selectable CCTs and fixed beam angles



Areas of application

- Retail
- Hospitality
- Residential
- Restaurants
- Museums and Galleries

Product features

- Sleek, modern integrated design
- Rotate 0-350° around and/or 0-90° up/down
- Selectable CCTs: 2700/3000/3500/4000K
- CRI > 90

TECHNICAL DATA

Electrical data

| | |
|-----------------|---------|
| Nominal wattage | 45.00 W |
| Nominal voltage | 120 V |

Photometrical data

| | |
|--------------------------|---------------|
| Luminous flux | 3000 lm |
| Luminous efficacy | 67 lm/W |
| Color temperature | 2700...4000 K |
| Color rendering index Ra | 90 |

Dimensions & Weight

| | |
|----------------|-----------|
| Diameter | 94.99 mm |
| Height | 276.86 mm |
| Product weight | 1350.00 g |

Materials & Colors

| | |
|-----------------|----------|
| Product color | Black |
| Housing color | Black |
| Body material | Aluminum |
| Mercury content | 0.0 mg |

Application & Mounting

| | |
|--------------------------|-----------|
| Dimmable | Yes |
| Type of dimming | PHASE CUT |
| Mounting type | Surface |
| Replaceable light source | No |

Certificates & Standards

| | |
|----------------------------------|-----------------|
| Replaceable light source (EPREL) | Not replaceable |
|----------------------------------|-----------------|

Additional product data

| | |
|------|-------|
| NAED | 63199 |
|------|-------|

Accessories Optional



| Product image | Product name | EAN |
|---------------|-------------------------------------|---------------|
| | TRACK ACCESSORIES 8FT RAIL WHITE | 0046135662362 |
| | TRACK ACCESSORIES 8FT RAIL BLACK | 0046135662379 |
| | TRACK ACCESSORIES I-CONNECTOR BLACK | 0046135631887 |


| Product image | Product name | EAN |
|--|--|---------------|
| | TRACK ACCESSORIES STRAIGHT CONNECTOR BLACK | 0046135631894 |
| | TRACK ACCESSORIES T-CONNECTOR BLACK | 0046135631917 |
| | TRACK ACCESSORIES L-CONNECTOR BLACK | 0046135631900 |
| | TRACK ACCESSORIES X-CONNECTOR BLACK | 0046135631924 |
|  | TRACK ACCESSORIES 2FT RAIL WHITE | 0046135631757 |
|  | TRACK ACCESSORIES 4FT RAIL WHITE | 0046135631764 |
|  | TRACK ACCESSORIES POWER SUPPLY CAP WHITE | 0046135631771 |
|  | TRACK ACCESSORIES END CAP WHITE | 0046135631788 |
|  | TRACK ACCESSORIES I-CONNECTOR WHITE | 0046135631795 |
|  | TRACK ACCESSORIES STRAIGHT CONNECTOR WHITE | 0046135631801 |
|  | TRACK ACCESSORIES L-CONNECTOR WHITE | 0046135631818 |
|  | TRACK ACCESSORIES T-CONNECTOR WHITE | 0046135631825 |
|  | TRACK ACCESSORIES X-CONNECTOR WHITE | 0046135631832 |
| | TRACK ACCESSORIES 2FT RAIL BLACK | 0046135631849 |
| | TRACK ACCESSORIES 4FT RAIL BLACK | 0046135631856 |
| | TRACK ACCESSORIES POWER SUPPLY CAP BLACK | 0046135631863 |
| | TRACK ACCESSORIES END CAP BLACK | 0046135631870 |

Safety advice

- For single-circuit H-track only
- Dimmable (Phase cut)

DOWNLOAD DATA

| Spec Sheets and Product Documents | | Document name |
|--|------------------------------|--------------------------------|
|  | Extended installation guide | SELECTABLE TRACK LIGHTS MANUAL |
|  | Product information bulletin | SELECTABLE TRACK LIGHTS |

| Photometric and lighting design files | | Document name |
|--|-----------------------------|----------------------------------|
|  | IES files (IES, additional) | PHOTOMETRIC DATA – TRACKLIGHT 1A |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 0046135631993 | Folding box 1 | 330 mm x 114 mm x 120 mm | 1518.00 g | 4.51 dm ³ |
| 4099854081002 | Shipping box 4 | 345 mm x 245 mm x 255 mm | 6500.00 g | 21.55 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.