

PRODUCT DATASHEET

LINK WIRELESS CONTROLLER 5 KEY BATTERY BLE

LEDVANCE LINK™ WIRELESS CONTROLLER | LEDVANCE LINK Wireless Controllers



Product features

- Commission and configure with LEDVANCE LINK™ app
- Control using either the LEDVANCE LINK™ app or the wireless controller
- Grouping and Zoning: Wirelessly group luminaires to act in sync with each other
- Scene Control: Preset various scenes for individual or group of luminaires using the app and/or wireless/wired controllers
- QR Code for Admin/Guest control: Using the LEDVANCE LINK™ app, Admin and Guest QR codes for each zone can be generated. Allows copying the settings to another phone/tablet by scanning this QR code
- Allows setting time-based schedules and high-end and low-end trim through the LEDVANCE LINK™ app

TECHNICAL DATA

Electrical data

Nominal voltage	3 V
Mains frequency	0 Hz

Dimensions & Weight

Length	115.06 mm
Width	69.85 mm
Height	12.19 mm
Product weight	38.4 g

Capabilities

Dimmable	Yes
----------	-----

Certificates & Standards

Protection class	N
Type of protection	IP66

DOWNLOAD DATA

	Documents and certificates	Document name
	Extended installation guide	INSTALLATION GUIDE LEDVANCE LINKTM BLUETOOTH® LOW ENERGY MESH LINE VOLTAGE 5 BUTTON WALL CONTROLLER
	Extended installation guide	Volume 6A Install Guide EN - FR
	Extended installation guide	INSTALLATION GUIDE BLUETOOTH® MESH LOW VOLTAGE 5 BUTTON WALL CONTROLLER LEDVANCE LINKTM
	Extended installation guide	USER GUIDE LEDVANCE LINK FW Manager
	Product information bulletin	BLUETOOTH MESH ENABLED CONNECTED BACKLIT PANEL
	Product information bulletin	DATASHEET 3.5mm PIN BLUETOOTH MESH LOW VOLTAGE CONTROLLER
	Product information bulletin	DATASHEET LEDVANCE LINK BLUETOOTH MESH LINE VOLTAGE CONTROLLER/POWERPACK
	Product information bulletin	LINE VOLTAGE FIXTURE CONTROLLER/POWERPACK WITH 12VDC AUX
	Product information bulletin	DATASHEET LEDVANCE LINK BLUETOOTH® MESH LOW VOLTAGE CEILING SENSOR & CONTROLLER

	Documents and certificates	Document name
	Product information bulletin	DATASHEET LEDVANCE LINK 3.5mm PIN BLUETOOTH® LOW ENERGY MESH INDOOR SENSOR & CONTROLLER
	Product information bulletin	DATASHEET LEDVANCE LINK BLUETOOTH® LOW ENERGY MESH LINE VOLTAGE HIGHBAY SENSOR AND CONTROLLER
	Product information bulletin	DATASHEET LEDVANCE LINK BLUETOOTH MESH LOW VOLTAGE 5 BUTTON WALL CONTROLLER
	Product information bulletin	BLUETOOTH MESH ENABLED CONNECTED RETROFIT DOOR KIT LEDLUM165
	Product information bulletin	BLUETOOTH MESH ENABLED CONNECTED TROFFER
	Product information bulletin	ULTRA LED™ Selectable HIDR
	Product information bulletin	ULTRA LED™ CCT Selectable High Bay Retrofit
	Product information bulletin	UltraLED™ Dual Selectable Vapor Tight 3A

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135626364	Folding box 1	77 mm x 15 mm x 142 mm	83.00 g	0.16 dm ³
4058075777194	Shipping box 40	300 mm x 170 mm x 165 mm	3688.00 g	8.42 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.