

PRODUCT DATASHEET

EMBB BOX 2A 8W DC BZ

SYLVANIA Emergency Battery Backup DC Wiring | SYLVANIA Emergency Battery Backup EMBB with DC Wiring



Areas of application

- Offices
- Retail
- Closet storage spaces when installed per NEC 410.16 requirements
- Educational sector
- Hallways
- Low-bay

Product features

- Provides a minimum of 90 minutes of emergency illumination during outages
- UL 924 compliant for emergency lighting safety
- DC output for broad compatibility with LED luminaires
- Available in external and in-fixture styles
- Ideal for applications needing maximum flexibility across luminaire types

TECHNICAL DATA

Electrical data

Nominal wattage	8.00 W
Nominal voltage	120...277 V
Mains frequency	60 Hz

Dimensions & Weight

Length	250.00 mm
Width	161.00 mm
Height	62.30 mm
Product weight	1587.57 g

Capabilities

Dimmable	No
----------	----

Certificates & Standards

Type of protection	IP65
--------------------	------

Accessories Optional

Product image	Product name	EAN
	EMBB METAL BRIDGE 1x4 2x2 2x4	0046135632174
	EMBB METAL BRIDGE 2x2 and 2x4	0046135616822
	EMBB METAL BRIDGE 1x4	0046135616839

DOWNLOAD DATA

Documents and certificates		Document name
	Product information bulletin	Cut Sheet/PIB_SYLVANIA Slim Wall Pack
	Product information bulletin	Cut Sheet/PIB SYLVANIA Canopy 10in

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058118181681	Shipping box 1	279 mm x 203 mm x 76 mm	2042.00 g	4.32 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.