

PRODUCT DATASHEET

Contractor Series 10YR A19 6W FR 3000K 1PK

SYLVANIA Contractor Series A19 Lamps | SYLVANIA Contractor Series are rated for up to 11,000 hours



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Suitable for rough service

Product features

- Reduces energy consumption up to 86 %
- 11,000 hours lifetime (L70)
- No warm-up time, instant-on with full light output and stable color

TECHNICAL DATA

Electrical data

Nominal wattage	6 W
Construction wattage	6.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	40 W

Photometrical data

Luminous flux	450 lm
Luminous efficacy	75 lm/W
Color temperature	3000 K
Color rendering index Ra	80
Light color	830

Dimensions & Weight

Overall length	112.00 mm
Diameter	60.00 mm
Product weight	50.00 g

Additional product data

Base (standard designation)	E26
NAED	41169

Capabilities

Dimmable	No
----------	----

Country-specific categorizations

Order reference	6W/830 120V 6X1
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	112.00 mm
Height	60.00 mm
Width	60.00 mm

Safety advice

- Suitable for damp locations.
- Non-dimmable.
- -4°F and +104°F (-20°C and +40°C)
- Approved for use in totally enclosed fixtures.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	Contractor Series LED A19 Lamps
Photometric and lighting design files		Document name
	IES file (IES)	LED A19, 6W 80CRI, 450 Lumen, 3000K IES FILE

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135411694	Folding box 1	60 mm x 60 mm x 114 mm	122.00 g	0.42 dm ³
10046135411691	Shipping box 6	206 mm x 137 mm x 124 mm	847.00 g	3.49 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.