

PRODUCT DATASHEET

ECO LED A19 14.5W FR 4100K 6PK

SYLVANIA ECO LED A19 Lamps | SYLVANIA ECO LED A19 offers quality LED lighting at an affordable price



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Lasts up to 11 times longer than incandescent lamps
- No warm-up time, instant-on with full light output and stable color
- CRI 80
- 7,700 hours (L70)

TECHNICAL DATA

Electrical data

Nominal wattage	14.5 W
Construction wattage	14.50 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	100 W

Photometrical data

Luminous flux	1450 lm
Luminous efficacy	100 lm/W
Color temperature	4100 K
Color rendering index Ra	80
Light color	841

Dimensions & Weight

Overall length	108.99 mm
Diameter	59.99 mm
Product weight	94.27 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
NAED	41209

Capabilities

Dimmable	No
----------	----

Country-specific categorizations

Order reference	14,5W/841 120V
-----------------	----------------

Energy labelling regulation data acc EU 2019/2015


Light source cap-type (or other electric interface)	E26
Length	108.99 mm
Height	59.99 mm
Width	59.99 mm

Safety advice

- Approved for use in totally enclosed fixtures.
- Suitable for damp locations.
- Non-dimmable.

– -4°F and + 113°F (-20°C and +45°C)

DOWNLOAD DATA

Documents and certificates		Document name
	Product information bulletin	ECOLED A19

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135412097	Folding box 6	113 mm x 157 mm x 117 mm	634.00 g	2.08 dm ³
10046135412094	Shipping box 18	360 mm x 171 mm x 125 mm	2146.00 g	7.75 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.