



PRODUCT DATASHEET

TruWave® 5CCT Selectable A19 6W 2PK

SYLVANIA TruWave® 5CCT Selectable A19 Lamps | TruWave A19 lamps with natural light, 5CCT selectable , and 90+ CRI

Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Exceptional color quality without the loss of efficacy typical of most 90+ CRI solutions
- Properly saturates red to make building spaces and flesh tones accurate and vibrant
- 25,000 hours lifetime (L70)
- CRI 90+ for exceptional color quality

TECHNICAL DATA

Electrical data

Nominal wattage	6 W
Construction wattage	6.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	40 W

Photometrical data

Luminous flux	450 lm
Luminous efficacy	75 lm/W
Color temperature	2700 K
Color rendering index Ra	90
Light color	927

Dimensions & Weight

Overall length	112.00 mm
Diameter	60.00 mm
Product weight	50.00 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
NAED	42598

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	6W/9SC 120V 4X2
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	112.00 mm
Height	60.00 mm
Width	60.00 mm

Safety advice

- Suitable for use in dry and damp locations.
- -4°F to +104°F (-20°C to +40°C)

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	LED TruWave Selectable Lamps

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135425981	Folding box 2	60 mm x 100 mm x 105 mm	131.00 g	0.63 dm ³
4058118318322	Shipping box 8	271 mm x 120 mm x 116 mm	647.00 g	3.77 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.