

# PRODUCT DATASHEET

## CONTRACTOR SERIES MR16 5W 3000K FL 35

SYLVANIA Contractor Series MR16 | Contractor Series MR16 LED lamps rated up to 11,000 hours life



---

### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Art galleries, museums, offices, restaurants

---

### Product features

- 12V AC/DC input voltage
- No warm-up time, instant-on with full light output and stable color
- UV and IR free
- RoHS compliant, mercury and lead free
- Lasts more than 5.5 times longer than halogen lamps
- Reduces energy consumption up to 75 %
- Available with a GU5.3 base and 35° beam angle

## TECHNICAL DATA

### Electrical data

Nominal wattage	5 W
Construction wattage	5.00 W
Nominal voltage	12 V
Claimed equiv. conventional lamp power	35 W

### Photometrical data

Luminous flux	350 lm
Luminous efficacy	70 lm/W
Color temperature	3000 K
Color rendering index Ra	81
Light color	830

### Dimensions & Weight

Overall length	45.47 mm
Diameter	50.04 mm
Product weight	80.00 g

### Additional product data

Base (standard designation)	GU5.3
NAED	79129

### Capabilities

Dimmable	No
----------	----

### Country-specific categorizations

Order reference	SILV 5W/830 12V
-----------------	-----------------


### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	GU5.3
Length	45.47 mm
Height	50.04 mm
Width	50.04 mm

### Safety advice

- Not for use in totally enclosed fixtures.
- Suitable for use in dry locations only
- Do not use with dimmers.
- -4°F to +104°F (-20°C to +40°C)
- Not for use with emergency light fixtures or exit lights.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	Contractor Series LED MR16 Lamps

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135791291	Blister 3	51 mm x 85 mm x 178 mm	267.00 g	0.77 dm <sup>3</sup>
10046135791298	Shipping box 18	311 mm x 191 mm x 108 mm	1826.00 g	6.40 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.