

PRODUCT DATASHEET ULTRA LED T10 T103.5W DIM 2700K CL 1PK

SYLVANIA ULTRA LED T10 Lamps | ULTRA LED LED T10 lamps rated up to 15,000 hours life, CRI 90



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Residential and commercial

Product features

- Clear glass finish
- RoHS compliant, mercury and lead free
- California Title 20
- 15,000 hours lifetime (L70)
- 3-year limited warranty
- Exceptional color quality without the loss of efficacy typical of most 90+ CRI solutions
- UV and IR free

TECHNICAL DATA

Electrical data

Nominal wattage	3.5 W
Construction wattage	3.50 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	40 W

Photometrical data

Luminous flux	300 lm
Luminous efficacy	85 lm/W
Color temperature	2700 K
Color rendering index Ra	90
Light color	927

Dimensions & Weight

Overall length	125.00 mm
Diameter	30.00 mm
Product weight	35.00 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
NAED	42054

Capabilities

Country-specific categorizations

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	125.00 mm
Height	30.00 mm
Width	30.00 mm

Safety advice

- Suitable for damp locations.
- Dimmable
- $-4^{\circ}F \text{ to } +104^{\circ}F \text{ (-20°C to } +40^{\circ}C)$

- Not for use with emergency light fixtures or exit lights.
- Approved for use in totally enclosed fixtures.

DOWNLOAD DATA

	Spec Sheets and Product Documents	Document name	
PDF	Product information bulletin	LED605 SYLVANIA LAMPS ULTRA T10 LED	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135420542	Folding box 1	38 mm x 38 mm x 146 mm	50.00 g	0.21 dm ³
4058118280100	Shipping box	253 mm x 53 mm x 163 mm	389.00 g	2.19 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.