

PRODUCT DATASHEET

LED TruWave® 5CCT Selectable Lamps

PAR38 15.5W DIM NFL 25 1PK

SYLVANIA TruWave® 5CCT Selectable PAR Lamps | PAR Lamps with exceptional quality lighting with high CRI and reduce blue wavelengths and 5 CCT selectable



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Dimmable down to 10 %
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- 25,000 hours lifetime (L70)
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Twist the toggle located towards the base of the lamp to easily change between CCTs
- 5-year limited warranty

TECHNICAL DATA

Electrical data

Nominal wattage	15.5 W
Construction wattage	15.50 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	120 W

Photometrical data

Luminous flux	1300 lm
Luminous efficacy	83 lm/W
Color temperature	2700 K
Color rendering index Ra	90
Light color	927

Dimensions & Weight

Overall length	132.00 mm
Diameter	123.00 mm
Product weight	170.00 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
NAED	42605

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	LED15.5PAR38DIM
-----------------	-----------------


Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	132.00 mm
Height	123.00 mm
Width	123.00 mm

Safety advice

- Suitable for indoor dry, damp and wet locations.
- -4°F to +113°F (-20°C to +45°C)

DOWNLOAD DATA

Documents and certificates		Document name
	Product information bulletin	LED TruWave Selectable Lamps

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135426056	Folding box 1	133 mm x 133 mm x 153 mm	260.00 g	2.71 dm³
10046135426053	Shipping box 6	428 mm x 482 mm x 168 mm	1934.00 g	34.66 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.