

PRODUCT DATASHEET

LED TruWave® PAR Lamps PAR38 11.5W DIM 3000K NFL 25 1PK

SYLVANIA TruWave® PAR Lamps | PAR Lamps with exceptional quality lighting with high CRI and reduce blue wavelengths



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Clean light color rendering for seeing realistic, vivid colors
- Exceptional color quality without the loss of efficacy typical of most 90+ CRI solutions
- Properly saturates red to make building spaces and flesh tones accurate and vibrant
- Up to 85 LPW
- 25,000 hours lifetime (L70)
- 5-year limited warranty
- Dimmable down to 10 %

TECHNICAL DATA

Electrical data

Nominal wattage	11.5 W
Construction wattage	11.50 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	100 W

Photometrical data

Luminous flux	1100 lm
Luminous efficacy	95 lm/W
Color temperature	3000 K
Color rendering index Ra	90
Light color	930

Dimensions & Weight

Overall length	132.00 mm
Diameter	120.00 mm
Product weight	331.83 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	SILV 11,5W/930
-----------------	----------------



Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	132.00 mm
Height	120.00 mm
Width	120.00 mm

Safety advice

- Not for use in totally enclosed fixtures.
- Suitable for indoor and outdoor dry, damp and wet locations.
- -4°F to +113°F (-20°C to +45°C)
- Not for use with emergency light fixtures or exit lights.

DOWNLOAD DATA

Documents and certificates		Document name
	Product information bulletin	Natural Series PAR Family
Photometric and lighting design files		Document name
	IES files (IES, additional)	LED11.5PAR38DIM930TL

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135408991	Folding box 1	127 mm x 127 mm x 178 mm	468.00 g	2.87 dm ³
10046135408998	Shipping box 6	394 mm x 267 mm x 197 mm	3147.00 g	20.67 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.