

PRODUCT DATASHEET

ULTRA LED™ Glass PAR Lamps 13W PAR38 DIM 3000K FL 40 1PK

SYLVANIA ULTRA LED™ PAR Lamps | ULTRA LED PAR Lamps



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Longer life than traditional halogen lamps
- Glass body with full optics – similar to halogen PAR lamps
- CRI of 80 ensures good color definition
- RoHS compliant, mercury and lead free
- Dimmable down to 10 %
- Wet rated



TECHNICAL DATA

Electrical data

Nominal wattage	13 W
Construction wattage	13.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	100 W

Photometrical data

Luminous flux	1050 lm
Luminous efficacy	80 lm/W
Color temperature	3000 K
Color rendering index Ra	82
Light color	830

Dimensions & Weight

Overall length	132.00 mm
Diameter	122.00 mm
Product weight	360.00 g

Temperatures & operating conditions

Ambient temperature range	-20...+45 °C
---------------------------	--------------

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
Mercury-free	Yes
Product remark	All technical parameters apply to the entire lamp / Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value
NAED	74947

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	SILV 13W/830 12
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	132.00 mm
Height	122.00 mm
Width	122.00 mm

Safety advice

- Suitable for wet locations.
- -4°F to +113°F (-20°C to +45°C)
- Not for use with emergency light fixtures or exit lights.
- Approved for use in enclosed fixtures.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	ULTRA LED Glass PAR Lamps

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135749476	Folding box 1	127 mm x 140 mm x 197 mm	510.00 g	3.49 dm ³
10046135749473	Shipping box 6	406 mm x 308 mm x 206 mm	3471.00 g	25.83 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.