

PRODUCT DATASHEET

Contractor Series LED PAR Lamps 13W

PAR38 3000K FL 45 1PK

SYLVANIA Contractor Series PAR Lamps | PAR Lamps rated up to 11,000 hours life



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Beam angle: 45°
- 11,000 hours lifetime (L70)
- RoHS compliant, mercury and lead free
- No warm-up time, instant-on with full light output and stable color
- Reduces energy consumption up to 88 %
- Lasts 4 times longer than halogen lamps
- 3-year limited warranty

TECHNICAL DATA

Electrical data

Nominal wattage	13 W
Construction wattage	13.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	90 W

Photometrical data

Luminous flux	1050 lm
Luminous efficacy	80 lm/W
Color temperature	3000 K
Color rendering index Ra	82
Light color	830

Dimensions & Weight

Overall length	130.00 mm
Diameter	121.00 mm
Product weight	181.4 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
NAED	40988

Capabilities

Dimmable	No
----------	----

Country-specific categorizations

Order reference	WHITE 13W/830 1
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015


Light source cap-type (or other electric interface)	E26
Length	130.00 mm
Height	121.00 mm
Width	121.00 mm

Safety advice

- Not for use in totally enclosed fixtures.
- Suitable for use in UL rated fixture where protected from the weather.
- Non-dimmable.

- -4°F to +104°F (-20°C to +40°C)
- Not for use with emergency light fixtures or exit lights.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	Contractor Series LED PAR Lamps

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058118186020	Folding box 1			
4058118183524	Shipping box 6	402 mm x 274 mm x 190 mm	2326.00 g	20.93 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.