

# PRODUCT DATASHEET

## Contractor Series LED PAR Lamps 9W PAR30LN 3000K FL 45 2PK

SYLVANIA Contractor Series PAR Lamps | PAR Lamps rated up to 11,000 hours life



---

### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

---

### Product features

- Beam angle: 45°
- 11,000 hours lifetime (L70)
- RoHS compliant, mercury and lead free
- No warm-up time, instant-on with full light output and stable color
- Reduces energy consumption up to 88 %
- Lasts 4 times longer than halogen lamps
- 3-year limited warranty

---

## TECHNICAL DATA

### Electrical data

Nominal wattage	9 W
Construction wattage	9.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	65 W

### Photometrical data

Luminous flux	800 lm
Luminous efficacy	88 lm/W
Color temperature	3000 K
Color rendering index Ra	82
Light color	830

### Dimensions & Weight

Overall length	112.00 mm
Diameter	95.00 mm
Product weight	105.00 g

### Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
NAED	79280

### Capabilities

Dimmable	No
----------	----

### Country-specific categorizations

Order reference	9W/830 120V 6X2
-----------------	-----------------

### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	113.51 mm
Height	95.00 mm
Width	95.00 mm


---

### Safety advice

- Not for use in totally enclosed fixtures.
- Suitable for use in UL rated fixture where protected from the weather.
- Non-dimmable.

- -4°F to +104°F (-20°C to +40°C)
- Not for use with emergency light fixtures or exit lights.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	Contractor Series LED PAR Lamps

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135792809	Folding box 2	102 mm x 167 mm x 124 mm	662.00 g	2.10 dm³
4058118071494	Shipping box 12	352 mm x 325 mm x 132 mm	4310.00 g	15.11 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.