

# PRODUCT DATASHEET

## Contractor Series LED PAR Lamps 4.5W PAR16 GU10 3000K FL 35 3PK

SYLVANIA Contractor Series PAR Lamps | PAR Lamps rated up to 11,000 hours life



---

### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

---

### Product features

- Beam angle: 45°
- 11,000 hours lifetime (L70)
- RoHS compliant, mercury and lead free
- No warm-up time, instant-on with full light output and stable color
- Reduces energy consumption up to 88 %
- Lasts 4 times longer than halogen lamps
- 3-year limited warranty

## TECHNICAL DATA

### Electrical data

Nominal wattage	4.5 W
Construction wattage	4.50 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	35 W

### Photometrical data

Luminous flux	350 lm
Luminous efficacy	77 lm/W
Color temperature	3000 K
Color rendering index Ra	80
Light color	830

### Dimensions & Weight

Overall length	53.00 mm
Diameter	50.00 mm
Product weight	80.00 g

### Additional product data

Base (standard designation)	GU10
NAED	41005

### Capabilities

Dimmable	Yes
----------	-----

### Country-specific categorizations

Order reference	4,5W/830 120V G
-----------------	-----------------


### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	GU10
Length	53.00 mm
Height	50.00 mm
Width	50.00 mm

### Safety advice

- Not for use in totally enclosed fixtures.
- Suitable for use in UL rated fixture where protected from the weather.
- Non-dimmable.
- -4°F to +104°F (-20°C to +40°C)
- Not for use with emergency light fixtures or exit lights.

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	Contractor Series LED PAR16 Lamp Product Information Bulletin

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135410055	Folding box 3	60 mm x 108 mm x 114 mm	272.00 g	0.74 dm³
10046135410052	Shipping box 18	337 mm x 133 mm x 130 mm	1767.00 g	5.84 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.