

# PRODUCT DATASHEET

## Contractor Series 5CCT Selectable LED PAR Lamps PAR20 7W 10YV FL 40 1PK

SYLVANIA Contractor Series 5CCT Selectable PAR Lamps | PAR Lamps rated up to 11,000 hours life with 5 CCT selectable options

### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail



### Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Dimmable down to 10 %
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- 25,000 hours lifetime (L70)
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Twist the toggle located towards the base of the lamp to easily change between CCTs
- 5-year limited warranty

---

## TECHNICAL DATA

### Electrical data

Nominal wattage	7 W
Construction wattage	7.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	50 W

### Photometrical data

Luminous flux	450 lm
Luminous efficacy	64 lm/W
Color temperature	2700 K
Color rendering index Ra	80
Light color	827

### Dimensions & Weight

Overall length	81.00 mm
Diameter	63.00 mm
Product weight	45.00 g

### Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
NAED	42565

### Capabilities

Dimmable	Yes
----------	-----

### Country-specific categorizations

Order reference	WHITE 7W 120V 4
-----------------	-----------------

### Energy labelling regulation data acc EU 2019/2015


Light source cap-type (or other electric interface)	E26
Length	81.00 mm
Height	63.00 mm
Width	63.00 mm

---

### Safety advice

- Suitable for indoor dry, damp and wet locations.
- -4°F to +113°F (-20°C to +45°C)

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	LED620 SYLVANIA LAMPS Contractor Series 5CCT Selectable LED family

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058118325269	Folding box 1			
4058118317943	Shipping box 4	275 mm x 81 mm x 94 mm	360.00 g	2.09 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.