


PRODUCT DATASHEET

TruWave® Filament Selectable ST19 7.5W DIM 5CCT 1PK

SYLVANIA TruWave® 5CCT Selectable Filament Lamps | TruWave 5CCT Filament lamps control blue light for lower glare and less eye strain



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Toggle switch located on the lamp to change between CCTs in the field
- California Title 20
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- 15,000 hours lifetime (L70)
- 5-year limited warranty
- Dimmable down to 10 %
- Exceptional color quality without the loss of efficacy
- Properly saturates red to make colors accurate and vibrant
- CRI > 90

TECHNICAL DATA

Electrical data

Nominal wattage	7.5 W
Construction wattage	7.50 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	60 W

Photometrical data

Luminous flux	800 lm
Luminous efficacy	106 lm/W
Color temperature	2700 K
Color rendering index Ra	≥90
Light color	927

Dimensions & Weight

Overall length	142.00 mm
Diameter	58.00 mm
Product weight	55.00 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
NAED	42272

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	CL 7,5W 120V 4X
-----------------	-----------------


Energy labelling regulation data acc EU 2019/2015


Light source cap-type (or other electric interface)	E26
Length	142.00 mm
Height	58.00 mm
Width	58.00 mm

Safety advice

- Suitable for use in dry and damp locations.
- -4°F to +104°F (-20°C to +40°C)

DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Product information bulletin	LED TruWave Selectable Lamps

Photometric and lighting design files	Document name
	LED ST19 7.5W 800 Lumens 2700/3000/3500/4000/5000K TruWave 5CCT Selectable

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135422720	Folding box 1	60 mm x 60 mm x 157 mm	90.00 g	0.57 dm ³
4058118298860	Shipping box 4	273 mm x 78 mm x 171 mm	467.00 g	3.64 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.