

PRODUCT DATASHEET

TruWave® ST19 5W DIM CL 5000K 1PK

SYLVANIA TruWave® ST19 Lamps | TruWave ST19 lamps control blue light for lower glare and reduced eye strain



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- California Title 20
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- 15,000 hours lifetime (L70)
- 5-year limited warranty
- Dimmable down to 10 %
- Exceptional color quality without the loss of efficacy
- Properly saturates red to make colors accurate and vibrant
- CRI > 90

TECHNICAL DATA

Electrical data

Nominal wattage	5 W
Construction wattage	5.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	40 W

Photometrical data

Luminous flux	425 lm
Luminous efficacy	85 lm/W
Color temperature	5000 K
Color rendering index Ra	90
Light color	950

Dimensions & Weight

Overall length	135.00 mm
Diameter	59.00 mm
Product weight	50.00 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg
NAED	41330

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	CL 5W/950 120V
-----------------	----------------

Energy labelling regulation data acc EU 2019/2015


Light source cap-type (or other electric interface)	E26
Correlated colour temperature type	SINGLE_VALUE
Length	135.00 mm
Height	59.00 mm
Width	59.00 mm

Safety advice

- Not for use in totally enclosed fixtures.
- Suitable for damp locations.

– -4°F to +113°F (-20°C to +45°C)

DOWNLOAD DATA

Documents and certificates		Document name
	Product information bulletin	TruWave ST19 Family

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135413308	Folding box 1	75 mm x 89 mm x 184 mm	113.00 g	1.22 dm³
4058118216444	Shipping box 6	251 mm x 202 mm x 194 mm	885.00 g	9.80 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.