

PRODUCT DATASHEET FP HO ECO 39W 830

SYLVANIA PENTRON® 800 HO ECOLOGIC® High Output T5 Linear Fluorescent Lamps | High output T5 lamps delivering strong lumen performance in compact designs



Areas of application

- Canopy lighting
- High bay fixtures
- Suspended Direct/Indirect luminaires
- Security lighting
- Signage
- Cove

Product features

- Up to 45,000 hours lamp life
- High efficacy: 94 LPW
- 93 % lumen rating ensures light levels are maintained while saving energy
- Peak lumen output at 95°F (35°C)
- Greater luminaire design flexibility
- Small lamp profile allows for more compact, high light output options
- TCLP and RoHS compliant
- Lead free glass
- CRI 85

TECHNICAL DATA

Electrical data

Nominal wattage	39 W
Construction wattage	39.00 W

Photometrical data

Luminous flux	3100 lm
Luminous efficacy	79 lm/W
Color temperature	3000 K
Color rendering index Ra	85
Light color	830

Dimensions & Weight

Overall length	863.19 mm
Diameter	17.00 mm
Product weight	79.00 g

Additional product data

Base (standard designation)	G5
Mercury content	1.8 mg
NAED	20932

Country-specific categorizations

Order reference	FP 39W/830
-----------------	------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	G5
Length	914.40 mm
Height	17.00 mm
Width	17.00 mm

Safety advice

- PENTRON HO ECO lamps are about 2" shorter than T8 & T12 Bi-Pin lamps.
- Miniature Bi-Pin bases will not install into T8 & T12 sockets.
- Miniature Bi-Pin bases require UL Listed 600 Volt rated sockets.
- Requires programmed rapid start electronic ballasts with end-of-lamp life sensing circuit.
- Apply thermal factor in calculations for use in exterior or unheated applications.

DOWNLOAD DATA

	Spec Sheets and Product Documents	Document name
PDF	Product information bulletin	PENTRON HO ECOLOGIC T5 Fluorescent Lamps

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135209321	Unpacked 1		79.00 g	
10046135209328	Shipping box 40	896 mm x 194 mm x 87 mm	3522.00 g	15.12 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.